| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|--------|---|---|---------------------|---------|------------------|
| L1 | 7622 | 361/627 or 361/630 or 361/720 or 361/722 or 361/748 or 361/752 or 361/760 or 361/767 or 361/833 or 361/781 or 361/791 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/06/26 17:12 |
| L2 | 131374 | pc adj board or printed adj circuit adj board | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/06/26 17:12 |
| L3 | 3388 | 1 and 2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/06/26 17:13 |
| L4 | 5173 | plurality adj4 output adj (terminals or connectors) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/06/26 17:13 |
| L5 | 236 | plurality adj4 line adj (terminals or connectors) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/06/26 17:14 |
| L6 | 0 | 3 and 4 and 5 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/06/26 17:15 |
| L7 | 17 | 3 and 4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/06/26 17:15 |
| L8 | 13 | line adj voltage same (service adj conductors) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/06/26 17:16 |
| L9 | 1 | 7 and 8 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/06/26 17:16 |

| L10 | 76 | ("3528548" "3616915" "3781925" "4016079" "4115263" "4200910" "4209837" "4224154" "4233694" "4235368" "4257555" "4267966" "4292542" "4298946" "4300199" "4308991" "4361274" "4368549" "4385357" "4385724" "4393527" "4398789" "4403157" "4404697" "4409694" "4421270" "4564962" "4570216" "4621613" "4676914" "4685158" "4773008" "4780917" "4828626" "4844333" "4851708" "4854498" "4941608" "4967382" "5079784" "5091095" "5117233" "5175047" "5208923" "5226408" "5245221" "5278455" "5311451" "5329991" "5381954" "5415221" "5457826" "5548854" "5585025" "5616239" "5628896" "5682754" "5684717" "5708548" "5730861" "5804080" "5809796" "6109050" "RE32960" | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/26 17:23 |
|-------|-------|--|------------------------------|----|-----|------------------|
| | | "RE35018").PN. OR ("6407469"). URPN. | | | | |
| L11 ′ | 13 | 2 and 10 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/26 17:23 |
| L12 | 12376 | strain adj relief | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/26 17:24 |
| L13 | 1 | 12 and 10 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/26 17:25 |
| L14 | 16866 | ground and earth and housing | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/26 17:25 |
| L15 | 3 | 10 and 14 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/26 17:27 |

| | | | · | , | | |
|-----|------|----------------------------------|------------------------------|----|-----|------------------|
| L16 | 81 | low adj voltage adj transformers | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/26 17:27 |
| L17 | 0 | 10 and 16 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/26 17:27 |
| L18 | 0 | voltage adj transformers and 10 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/26 17:27 |
| L19 | 1 | low and transformers and 10 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/26 17:28 |
| L20 | 9 | pins and 10 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/26 17:29 |
| L21 | 2 | fuses and 10 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/26 17:30 |
| L22 | 1320 | ground same terminal adj block | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/26 17:30 |
| L23 | 1 | 22 and 10 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/26 17:30 |